

Seaway Fabric Specifications:

Pattern:	Seaway
Construction:	ENDS/INCH 16 PICKS/INCH 8.1
Contents:	(Face) 100% Olefin (Backing) 100% Acrylic Blend
Weight:	Approx. 0.68 LBS. per linear yard
Width:	64"
Colorfastness Code:	"W"

Seaway Performance:

Seam Breaking Strength: (ASTM D-4034)	85 LBS. min. (Warp) 50 LBS. min. (Filling)
Tear Strength: (ASTM D-2262)	6 LBS. min (Warp) 11 LBS min. (Filling)
Tensile Strength: (ASTM D-5034)	98 LBS. min. (Warp) 50 LBS. min (Filling)
Seam Slippage: (ASTM D-4034)	28 LBS. min. (Warp) 26 LBS. min. (Filling)
Abrasion Resistance: (ASTM D-4157)	Light duty - 6,000 cycles (Wyzenbeck - Wire Screen Abradant)
Colorfastness to Light: (ASTM D-3597, AATCC-16A)	40 hours - Class 4
Colorfastness to Crocking: (ASTM D-3597, AATCC-8)	Wet - Class 3 Dry - Class 4
Pilling: (ASTM D-3511)	Class 3
Flammability:	UFAC, Passes Class I California Technical Bulletin 117 Section E (CS 191-53) Passes (DNI)
ASTM E-84 Tunnel Test:	Class A

Spot clean only with water based shampoo or foam upholstery cleaner. Pretest a small, inconspicuous area before proceeding. Do not overwet. Do not use solvents to spot clean. Pile fabrics may require brushing with a non-metallic, stiff bristle brush to restore appearance. Hot water extraction or steam cleaning is not a recommended cleaning method. To prevent overall soiling, frequent vacuuming or light brushing with a non-metallic, stiff bristle brush to remove dust and grime is recommended. When cleaning a spill, blot immediately to remove spilled material. Clean spots or stains from the outside to the middle of the affected area to prevent circling. Use a professional furniture cleaning service when an overall soiled condition has been reached.

Terratex® Fabric Specifications:

Pattern:	FR701® 2100
Contents:	100% Terratex® Polyester
Colorfastness to light:	AATC 16E - 40 hours
Flammability:	ASTM E-84 - Class 1 or A NFPA-701 Large Scale 1989 Passes State of California Tech Bulletin 117 Sec. E (CS-191-53) - Passes
Maintenance:	Fabric may be cleaned with mild, water-free solvents or water-based cleaning agents or foam.

Terratex® is a registered trademark of Interface Fabrics Group and designates fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high quality product that is recyclable at the end of its useful life.

FR701® is a registered trademark of Guilford of Maine, Inc.